




12R									
13R									
14R									
15R									
							<b>Total # Boards Crossed / mL on REV</b>	<b>365</b>	<b>18.25</b>
							<b>Total # Boards / mL FWD and REV</b>	<b>503</b>	<b>25.15</b>


<b>Microliter Arrow Zone Ratio</b>	Ava. 2-5L:16L-20 425	Ava. 6-10L:16L-20 750	Ava. 11-15L:16L-20 750	Ava. 16L-20:20-16R 750	Ava. 16L-20:20-16R 750	Ava. 20-16R:15-11R 750
	<b>1.76</b>	<b>1.00</b>	<b>1.00</b>	<b>1.00</b>	<b>1.00</b>	<b>1.00</b>

<b>Microliter Track Zone Ratio</b>	Ave. 3L-7L:18L-18R Outside Track:Middle	Ave. 8L-12L:18L-18R Middle Track:Middle	Ave. 13L-17L:18L-18R Inside Track:Middle	Ave. 18L-18R:17R-13R Middle:Inside Track
	<b>1.25</b>	<b>1.00</b>	<b>1.00</b>	<b>1.00</b>



Avg. 20-16R:10-6R 750 <b>1.00</b>	Avg. 20-16R:5-2R 425 <b>1.76</b>
---	--

Ave. 18L-18R:12R-8R Middle:Middle Track <b>1.00</b>	Ave. 18L-18R:7R-3R Middle:Outside Track <b>1.25</b>
---	---



# MYST 10-04-2020 Overhead View of Conditioner Pattern

